

A GUIDE TO THE CONSTRUCTION OF

FOOD BUSINESSES

FOR OWNERS, OPERATORS, ARCHITECTS AND BUILDERS

HEALTH SERVICES, CITY OF COCKBURN 2011



CONTENTS

1.0		ction1	
2.0	_	tion1	
3.0		ons1	
4.0		assification and Inspection Frequency1	
5.0			
6.0		Requirements2	
	6.1	Planning Services	
	6.2	Building Services	
	6.3	Environmental Health Services	
	6.4	Approval of Plans	
	6.5	Final inspection	
	6.6	Food business registration and licence	
7.0	State G	overnment Departments4	
	7.1	Department of Racing, Gaming and Liquor	
	7.2	Department of Environment and Conservation	
	7.3	Western Power and Alinta Gas	
	7.4	Water Corporation	
8.0	Design	and Construction5	1
	8.1	General Requirements	
	8.2	Sewage and Waste Water Disposal	
	8.3	Storage of Garbage and Recyclable Matter	
	8.4	Ventilation	
	8.5	Lighting	
9.0	Floors,	Walls and Ceilings7	
	9.1	Floors	
	9.2	Walls	
	9.3	Ceilings	
10.0		s, Fittings and Equipment9	ļ
	10.1	General Requirements	
	10.2	Washing Facilities	
	10.3	Handwashing Facilities	
	10.4	Hot and Cold Food Storage and Display	
	10.5	Coolrooms / Freezers	
	10.6	Storage	
11 0		aneous1	1
	11.1	Temperature Measuring	•
	11.2	Cleaning and Sanitising	
	11.3	Toilet Facilities	
	11.3	Animals and Pests	
	11.4		
		Food Safety Training	
120	11.5	Outdoor Eating Areas	2
12.0		ehicles	3
	12.1	Food Transport Vehicles	
40.0	12.2	Mobile Food Vehicles	^
		ervice to Vulnerable Persons1	
		ntial Food Preparation1	
13.0	Contac	t Details1	4

1.0 INTRODUCTION

This information is provided as a general guide for owners, proprietors, architects and/or builders who intend to design, construct/fit-out and operate a food premises or food vehicle within the City of Cockburn. This guide also details the process for approval and registration of a food business within the City of Cockburn.

Please feel free to contact an Environmental Health Officer at the City to discuss your proposal.

2.0 LEGISLATION

Food businesses are currently governed by the following state-wide legislation:

- Food Act 2008
- Food Regulations 2009
- Australia New Zealand Food Safety Standards (Chapter 3)

Copies of the legislation can be downloaded at the State Law Publisher website www.slp.wa.gov.au and at the FSANZ website www.foodstandards.gov.au.

Australian Standard (AS 4674-2004) *Design, construction and fit-out of food premises* can provide you with good detail and advice on your proposed food business. This document is copyrighted.

3.0 **DEFINITIONS**

- "Food Business" means a business, enterprise or activity (other than a business, enterprise or activity that is primary food production) that involves
 - (a) the handling of food intended for sale; or
 - (b) the sale of food, regardless of whether, subject to section 6, the business, enterprise or activity concerned is of a commercial, charitable or community nature or whether it involves the handling or sale of food on one occasion only.
- "Handling" of food, includes the making, manufacturing, producing, collecting, extracting, processing, storing, transporting, delivering, preparing, treating, preserving, packing, cooking, thawing, serving and displaying food.

4.0 RISK CLASSIFICATION AND INSPECTION FREQUENCY

The City of Cockburn uses a risk-based classification system for food businesses which is determined by the type of food prepared and who the food is prepared for (e.g. elderly people and children). Risk classification determines the initial inspection frequency but this may be altered by the outcome of the routine inspections i.e. if the inspection result is good, then the inspection frequency may be lessened. If the inspection result is sub-standard then more frequent inspections of the business may be undertaken.

Food businesses are classed into:

Exempt e.g. newsagencies selling packaged confectionery

Low risk e.g. bars selling beverages

Medium Risk e.g. most cafes and restaurants will fall into this category

High Risk e.g. food catering business

2

5.0 FEES

Food businesses are charged a one-off registration fee and then an annual inspection fee. The inspection fee is valid for the financial year and invoicing occurs in early June.

If a business commences part way through the financial year fees will only be charged on a prorata basis.

For the current fee schedule please contact Environmental Health Services on 9411 3589.

6.0 COUNCIL REQUIREMENTS

6.1 Planning Services

The premises you have chosen may require planning approval and a Development Application may need to be submitted to ascertain suitability with the Local Planning Scheme in relation to zoning, parking and other issues.

Contact Planning Services on 9411 3579.

6.2 Building Services

You will be required to submit a Building Licence Application for:

- newly constructed premises;
- where coolrooms and exhaust canopies are to be installed; or
- where alterations may affect the structural integrity of the building.

Contact Building Services on 9411 3579 or building@cockburn.wa.gov.au.

6.3 Environmental Health Services

Before any new developments, alterations or extensions, approval must be obtained from Environmental Health Services, even where planning approval or a building licence is not required.


Your shop-fitter, draftsperson or architect should be able to assist you with plans. The following must be submitted:

- a) Application to Construct of Alter a Food Business form;
- b) Two sets of drawings showing:
 - (i) scale 1:50
 - (ii) all dimensions
 - (iii) floor plan
 - (iv) sectional elevations through walls etc.
 - (v) hydraulic plans of fresh water and waste water services
 - (vi) mechanical exhaust ventilation plan
 - (vii) finishes of every wall, floor and ceiling
 - (viii) the position and type of every fixture, fitting and equipment

- (ix) toilet facilities
- (x) grease traps
- (xi) the estimated number of patrons.

NOTE: Submitted plans must be of a high quality that clearly shows all of the above details. This will help the City's Environmental Health Services assess the plans and approve the premises quicker which is both time beneficial for both you and the City.

The following diagram is an example of the standard required:



Contact Environmental Health Services on 9411 3589 for further information.

6.4 Approval of Plans

After the plans have been approved, one copy will be given back to you with "Environmental Health Conditions of Approval" attached. You can then commence the construction of the food premises but the conditions of approval must be complied with.

6.5 Final Inspection

Once construction is complete, you will need to contact Health Services to arrange for an Environmental Health Officer to undertake a final inspection for compliance with the approved plans and Conditions of Approval.

6.6 Food Business Registration and Annual Inspection Fee

After the food business has been approved you will be issued an approval letter together with an Application for Notification/Registration and invoice for payment of your annual inspection fee. After payment has been received you will be issued your food business registration certificate and inspection fee receipt.

Registration of your food business occurs once and does not expire. The inspection fee is issued annually.

Please note that failure to pay the inspection fee will result in relevant action being taken.

7.0 STATE GOVERNMENT DEPARTMENTS

7.1 Department of Racing, Gaming and Liquor (RGL)

Any premises selling alcohol must obtain a liquor licence. Applications can be obtained from RGL and will usually require a Section 39 certificate to be issued from Environmental Health Services. This involves an inspection of the premises to ensure compliance with relevant health legislation. There is a fee associated with this. Occasionally a Section 40 Certificate will need to be issued by Planning Services.

Phone: 9425 1888 Email: rgl@rgl.wa.gov.au Website: www.rgl.wa.gov.au

Please contact Environmental Health Services for Section 39 application and Planning Services for a Section 40 application.

7.2 Department of Environment and Conservation (DEC)

The DEC deals with pollution such as noise, waste, water and air. Problems may arise due to noisy refrigeration motors and exhaust hood outlets. Consider neighbouring premises when installing such equipment. Sound levels created by the business must not exceed those in the Environmental Protection (Noise) Regulations 1997.

All food businesses are required to comply with the Environmental Protection (Unauthorised Discharges) Regulations 2004 which requires that no discharge occurs to the environment. Measures such as having adequate drainage, refuse storage and waste fat and oil storage and collection assist in preventing environmental discharge. Environmental Health Officers may issue infringements if a food business is found discharging chemicals, fats, oils etc. into the environment (e.g. stormwater drain).

Phone: 6467 5000 Website: www.dec.wa.gov.au

7.3 Western Power and Alinta Gas

All electrical and gas fittings should be approved by Western Power and Alinta Gas and installed in accordance with the relevant regulations.

Western Power – Phone: 9326 4911 Website: www.wpcorp.com.au Alinta Gas – Phone: 13 13 59 Website: www.alintacustomer.com.au

7.4 Water Corporation

Plumbing is to be carried out by a licensed plumber in accordance with the Metropolitan Water Supply, Sewerage and Drainage Board by-laws.

The Industrial Waste Section at the Water Corporation should be consulted for provision of grease traps. Most food premises where food preparation occurs will require a grease trap to be installed.

Phone: 13 13 95 Website: www.watercorporation.com.au

8.0 DESIGN AND CONSTRUCTION

8.1 General Requirements

The food premises must comply with the requirements of Food Safety Standard 3.2.3 – Food Premises and Equipment (FSS 3.2.3). The additional following information may be useful when designing your food premises (follow the FSS 3.2.3 headings which match the ones below).


Your food business design must aim to:

- Exclude locations that may allow harbourage to vermin by such measures as eliminating cavities, cracks and crevices.
- Facilitate easy cleaning by measures such as providing open access to all surfaces where grease and dust may accumulate and ensuring that all surfaces are durable, smooth, impervious and washable.
- Allow the flow of food in one direction, from receipt, to storage, to preparation, to packing/serving/dispatch incorporating in the design process provision for safe food handling practices so that the risk of contamination is minimised.

Consider:

- Sufficient dining space, allowing of 1m² per person for dining area;
- Potential for future expansion. If in the future you wish to upgrade the type of food preparation, then you may also need to upgrade the premises to suit.
- The kitchen incorporating crockery/equipment/chemical/food storage, washing areas, wet and dry preparation areas, refrigeration and cooking areas.
- Separation of raw products and cooked/final products
- Sanitary conveniences for both staff and customers
- Space for changerooms and storage area for personal items

The following diagram is a guide to the typical layout:



- LEGENO:
- T = Floor/wall coving
- ② = Castors to under bench storage
- = Impervious floor graded and dramed
 = Hot water heater seeled to well
- (5) = Walls tiled
- 6 Shelving 25 mm clear of wall
- (7) = Sink unit on metal frame
- Thermometer
- (9) = Garbage receptable

- O = Dishwasher with temperature indicating device
- (1) Lega 150 mm min.
- O = Underside of support bracket 150mm to the fireshed floor surface.
- (3) Painted plasterboard cesing
- file Smooth cement rendering
- (6) Water drainage pipes conceeled into walls
- 個 = Hand basin, hot and cold water mixing set
- (7) = Soep and towal dispenser

8.2 Water Supply

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 2 Clause 4	 The water supply must be: Provided in an adequate quantity; Potable; and Of an appropriate temperature. The water supply for mobile food vehicles must be: Of a minimum 25 litres (used solely for cleaning purposes). 	 Hot water system installed in adequate capacity for the activities occurring at the premises Approved water supply Tank and bore water (Laboratory Certification stating compliance with NHMRC Guidelines must be provided)

8.3 Sewage and Waste Water Disposal

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 2 Clause 5	The premises must have a sewage and waste water disposal system which: Effectively disposes of all sewage and wastewater; and Is constructed and located so that there is no likelihood of the sewage and wastewater polluting the water supply or contaminating food. Mobile food vehicles: Where there is no connection to mains sewer, temporary holding tanks must be	 Connection to deep sewer If the premises is located in areas without deep sewerage you will require on-site disposal. A further application to install apparatus for the treatment of sewage is required. Alternatively, investigate the installation of a reticulated sewerage system connected to the main sewer. Contact the Water Corporation for information regarding grease traps. The City of Cockburn does not process
	installed at 50 litres capacity.	these applications. Trade waste agreement required

8.4 Storage of Garbage and Recyclable Matter

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 2 Clause 6	 The premises must have waste facilities that: Adequately contain the quantity and type of waste and recyclable matter; Are enclosed, as to not allow access to pests and animals; and Are designed and constructed to be easily and effectively cleaned. 	 Provision of an adequate supply of water for cleaning Refuse containers serviced by appropriate contractor Fats and oils must be stored in leak proof containers and be regularly collected by a waste removal contractor. Easy access to allow for removal of bins Bins in food preparation areas should be located where cross contamination will not occur. They should be provided with a plastic liner and lid. These bins should be cleaned and

7

8.5 Ventilation

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 2 Clause 7	 Ventilation throughout the premises must: Be sufficient and easily and effectively cleaned; and Effectively remove fumes, smoke, steam and vapours, so as not to cause environmental nuisance. 	 Mechanical ventilation to be installed for: Cooking equipment where electrical input exceeds 8kW; Cooking equipment where gas input exceeds 29MJ/h; and All deep fryers.
	Mechanical exhaust ventilation system to be designed, constructed and installed in accordance with AS 1668 Part 2 (2002).	(Written certification is required to verify that system meets performance criteria)

8.6 Lighting

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 2 Clause 8	The premises must: Be sufficiently provided with light; and Light fittings must be easily and effectively cleaned, unable to provide harbourage for pests and constructed to protect food from contamination.	 Natural light Artificial—recessed and diffuser Artificial—ceiling mounted and diffuser Light fittings are to be provided with protective plastic covers or sleeves to prevent contamination of food with broken glass.

9.0 FLOORS, WALLS AND CEILINGS

9.1 Floors

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 3 Clause 10	 Floors must be: Constructed appropriately for the activities being carried out within the premises; Impervious and easily and effectively cleaned; Laid in a manner so that pooling or ponding of water cannot occur; Unable to provide harbourage for pests; and Where floor is subject to heavy washing floor wastes should be provided 	 Ceramic tiles Coving provided Concrete and epoxy layer Commercial grade continuous vinyl Treated concrete Flooring materials in light colour

9.2 Walls

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 3 Clause 11	 Walls must be: Provided to protect food from contamination; Constructed appropriately for the activities being carried out within the premises; Sealed to prevent entry of dirt, dust, pests and vermin; Unable to provide harbourage for pests; Impervious; Easily and effectively cleaned; and Flush with no panels 	 Impervious panelling Smooth finish provided Splashbacks provided to sinks and

9.3 Ceilings

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 3 Clause 11	Ceilings must be: Provided to protect food from contamination; Constructed appropriately for the activities being carried out within the premises; Sealed to prevent entry of dirt, dust, pests and vermin; Unable to provide harbourage for pests; Impervious; and Easily and effectively cleaned.	 Gloss painted fibre cement sheeting Impervious panelling Smooth finish Solid, continuous construction NOTE: Drop-in panel ceilings will not be approved in kitchens and food preparation areas.

10.0 FIXTURES, FITTINGS AND EQUIPMENT

10.1 General Requirements

Relevant	Performance Criteria	Acceptable Solutions
Food Safety		•
Standard		

SS 3.2.3 Division 4 Clause 12	Fixtures and fittings are to be adequate for the production of safe food and fit for the intended use. Fixtures and fittings should be designed and constructed so that: There is no likelihood of causing food contamination; The fixtures and fittings and adjacent floors, walls and ceilings are able to be easily and effectively cleaned; and They are unable to provide harbourage for pests.	Fixtures, fittings, shelving and equipment should: Be able to be easily moved Have castors fitted and flexible connections Have 150mm legs and clear of walls Be sealed to plinth, surfaces, floor and adjacent surfaces Have 75mm above bench and clear of the wall Not have false backs or bottoms Food contact surfaces of stainless steel
-------------------------------------	--	--

9

Food contact surfaces must be:	•	Pipes,	ducts,	fitting	and	fixtures
 Able to be easily and effectively cleaned and sanitised; Impervious; and Made of material that will not contaminate the food. 			ng or b			vall, floor m away

10.2 Washing Facilities

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 4 Clause 12	Cooking Equipment and eating/drinking utensils must be able to be easily and effectively cleaned and sanitised.	 Double bowl sink for utensil and equipment washing OR Single bowl sink and commercial dishwasher AND Separate sink for fruit and vegetable washing AND Glass washer

10.3 Handwashing Facilities

	Performance Criteria	Acceptable Solutions
Food Safety		
Standard		

FSS 3.2.3 Division 4 Clause 14	A food premises must have a designated hand wash basin that is; ■ A permanent fixture; ■ Located in an easily accessible location for all food handlers; ■ Within immediate area where food handlers work; ■ Adjacent to the toilets or toilet cubicles at the food premises (if any); ■ Connected to or provided with a supply of warm running potable water (between 22℃ and 48℃); ■ Supplied with warm and cold water through a common spout; ■ Of a size which allows easy and effective hand washing; ■ Supplied with paper towels, soap and a waste container; and ■ Connected to sewer.		Minimum 11 litre capacity basin provided in area where food handlers are working Minimum 11 litre capacity basin provided adjacent to toilet facilities Each hand basin must be supplied with soap, paper towels and a waste container Hand Basins connected to sewer
--------------------------------------	---	--	---

10.4 Hot and Cold Food Storage and Display

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 3 Clause 6 & 8	During storage and display, food must be; Protected from the likelihood of contamination; and Under appropriate temperature control. Storage and display areas and containers must be capable of being easily and effectively cleaned.	 Hot display unit minimum of 60℃ Cold display Unit/Cool Room maximum of 5℃ Freezer units maximum -15℃ and food must remain frozen Sneeze barriers

10.5 Coolrooms / Freezers

Installation of a walk-in coolroom or freezer requires a building licence.

- Floor is to be graded and drained to a floor waste located outside the facility.
- All racks and shelves should be of smooth, non-absorbent, easily cleanable, non-corrosive material.
- Coolroom and freezer condensates should discharge to a drainage system located outside the coolroom/freezer (i.e. tundish).
- A thermometer indicating temperature within +/- 1° C is required.
- Inaccessible cavities should be filled with fibreglass wool and sealed.
- All doors are:

10

- fitted with a rubber or similar seal which effectively prevents the escape of cold air or the entry of warm air when the door is closed, and the seal must be kept clean and in good repair
- be capable of being opened from the inside at all times.

11.0

- Should coolroom be externally accessed it may only be utilised for bulk storage where food is fully enclosed within packaging material.
- Alarm to be provided on out side of coolroom but controlled only from the inside of the coolroom (BCA requirement).
- Internal lighting controlled by a switch located adjacent to the entrance doorway (BCA requirement).
- All coolroom motors and compressors should be located outside the premises if possible.

10.6 **Storage Facilities**

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 4 Clause 15	Adequate storage facilities must be provided for items that are likely to contaminate food, including; Chemicals; Clothing; and Personal belongings. Storage facilities should be located where there is no likelihood of the above items contaminating food or food contact surfaces	 Separated staff room Clearly designated room, shelf or cupboard for staff items Clearly designated chemical/cleaning items storage room, shelf or cupboard.

MISCELLANEOUS

11

11.1 **Temperature measuring**

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 6 Clause 22	A food premises must have a temperature measure device that can accurately measure the temperature of potentially hazardous food to +/-1°C.	 Thermostat and gauge provided on all units; AND Single mobile device per premises (i.e. Probe thermometer)

11.2 **Cleaning and Sanitising**

Relevant	Performance Criteria	Acceptable Solutions
Food Safety		
Standard		

Document Set ID: 5550336

Version: 1, Version Date: 01/02/2017

FSS 3.2.3 Division 5 Clause 20	All equipment and utensils must be kept in a clean and sanitary state. Heat and/or chemicals must be applied to equipment and utensils so that the number of micro-organisms on the surface has been reduced to a level that; Does not compromise the safety of the food which it may come in contact with; and Does not permit the transmission of infectious disease.	 Cleaning Sink (water at 54℃ and detergent); Dishwasher (water at 75℃ or water at 54℃ and detergent); Glass washer (water at 54℃ and detergent). Sanitising Chemical sanitizer Water at 77℃ for hot water sanitising at the sink Rinsing compartment should be provided with heating elements capable of maintaining the water at a minimum temperature of 77℃.
--------------------------------------	--	---

11.3 Toilet Facilities

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 5 Clause 16	An appropriate number of toilets must be available for the use of food handlers.	Designated internal staff toilet containing: Air lock and self closers; or Single door, mechanical ventilation and self closer. External staff toilet External common room

- Sanitary conveniences are to be provided for both staff and patrons of each gender. Staff and patron facilities may be combined as long as there are enough facilities to cater for both as per the requirements of the Building Code of Australia.
- A disabled facility must be provided in newly constructed premises and may be required when alteration, additions or a change of use are undertaken on an existing property. Contact the City's Building Surveyors for further information prior to submitting an application.
- Sanitary conveniences must be equipped with both hot and cold water, liquid soap and singleuse paper towels or a warm air drier.
- Gender identification signs are required on the toilet doors.
- Patron sanitary conveniences are generally only required when a food premises accommodates more than 20 persons.

12

Refer to the following table which is extracted from the Building Code of Australia for number of facilities required for staff and patrons of each gender.

STAFF FACILITIES									
Numbers of:	Toilets			Urinals			Hand-wash Basins		
Facilities	1	2	Each extra	1 2 Each extra		1	2	Each extra	
Males	20	40	20	25	50	50	30	60	30
Females	15	30	15					60	30
			P	ATRON FA	CILITIES				
Numbers of:	Toilets			Urinals			Hand-wa	sh Basins	
Facilities	1	2	Each	1	2	Each	1	2	Each

			extra			extra			extra
Males	100	300	200	50	100	50	20	200	200
Females	25	50	50				50	150	200

NOTE: Where the number of male patrons exceeds 250, not less than 5 urinals must be provided plus one additional urinal for every additional 100 in excess of 250. Where the number of female patrons exceeds 250, not less than 6 closet fixtures must be provided plus one additional closet fixture for every 100 females in excess of 250. If not more than 10 persons are employed a unisex toilet facility may be provided.

11.4 Animals and Pests

- An assistance animal, such as a guide-dog, is only permitted in dining and drinking areas (this includes outdoor dining areas).
- All openings should be protected as far as is practicable from pests through the use of screens, self-closing doors and other inhibiting mechanisms (e.g. air-curtains, fly-strips or fly zappers – fly-zappers must not be located over food contact surfaces).
- It is highly recommended to obtain the services of a qualified pest controller to carry out quarterly inspections and treatment for pests such as cockroaches and rodents.

11.5 Food Safety Training

- It is a requirement that all food handlers demonstrate their skills and knowledge appropriate to the level of food handling that they are employed to carry out. To achieve this requirement the City of Cockburn highly recommends that all food handlers receive food safety training prior to handling food for sale to the public.
- There are many training programs available but the City of Cockburn offers offers regular Safe Food Handling Training Sessions for a minimal fee. This ensures that your staff are trained to a minimum level to achieve compliance with the hygiene standards in the Food Safety Standards.
- For further information about available training options please contact Environmental Health Services.

11.6 Outdoor Eating Areas (Alfresco Dining)

- The City of Cockburn has an Alfresco Dining Policy which must be complied with where the dining area falls onto the Council land.
- An application must be submitted following approval of the Food Business or liquor licensed premise which serves meals e.g. a tavern. Contact Planning Services to obtain an application form and copy of the Policy which all premises must comply with.

13

12.0 FOOD VEHICLES

12.1 Food Transport Vehicles

Relevant Food Safety Standard	Performance Criteria	Acceptable Solutions
FSS 3.2.3 Division 4 Clause 17	Food Transport Vehicles must be: Designed and constructed to protect food if there is a likelihood of contamination during transport; Designed and constructed to be easily and effectively cleaned and if necessary, sanitised.	 Smooth impervious surfaces to the storage compartment Food is to be transported in such a way as to prevent contamination (e.g. packaged in food grade storage containers).

12.2 Mobile Food Vehicles

Mobile Food Vehicles are required to comply with the Food Safety Standards. Acceptable solutions to compliance are:

- Food preparation area must be sealed off from the driving area;
- Hand wash basin must be of adequate size, connected to a holding tank of sufficient size to contain all waste water and have a supply of liquid hand soap and single use paper towels at all times;
- Utensil washing sink to be provided in addition to hand wash basin and connected to water holding tank;
- Holding tank must be located beneath the vehicle and all waste water disposed of to sewer;
- Vehicles must be designed and constructed so food is protected from contamination during transport;
- Vehicles must be designed and constructed so they can be easily cleaned;
- Food contact surfaces must be designed and constructed so they can be easily cleaned and sanitised:
- Food vehicles must be kept in a clean condition and parts must be maintained in good working order:
- Provision of adequate storage of food, whether potentially hazardous and perishable or nonpotentially hazardous; and
- No animals are permitted to enter the food vehicle at any time.

13.0 FOOD SERVICE TO VULNERABLE PERSONS

Food service to vulnerable persons such as hospital patients, meals-on-wheels clients in nursing homes, respite centres, children under the age of 4 years in child day care and similar services are required under Standards 3.2.1 and 3.3.1 of the Code to have a Food Safety Program that documents how the food business will control the food safety hazards associated with food handling activities of the business.

Food businesses servicing vulnerable persons are required to comply with the Code in the same manner as other food premises in terms of Standard 3.2.2 Food Safety Practices and General Requirements and Standard 3.2.3 Food Premises and Equipment. For example, a larger child day care centre that provides for more than five children is required to comply with all of the Code Standards mentioned above, except for those where less than six vulnerable persons are serviced they are not required to have a Food Safety Program. Such premises are still required to have appropriate food premises, equipment, safety practices and comply with the general requirements.

14

14.0 RESIDENTIAL FOOD PREPARATION

Food prepared in a residential premises for sale or other reasons defined in the Act such as for charity or fundraising purposes are also considered to be a food business activity and must comply with relevant aspects of the Act, Regulations and Code. Such activities are exempt from having to meet the full requirements such as food handlers not being required to have the skills and knowledge expected of staff in a large commercial food business.

In general low risk food preparation activities may occur in a residential premises kitchen where approved by the City and consistent with the Department of Health WA guidelines. (http://www.public.health.wa.gov.au/2/959/2/food_prepared_in_residential_premises.pm)

Such activities must by approved by the City by submitting and "Application to Prepare and Sell Food From Residential premises" and complete the food business notification/registration form. Examples of food preparation activities that are permitted in residential premises include:

- Child day care within a residential premises kitchen where less than seven children are cared for and meals are prepared for children in the residential home.
- Charitable or fundraising activities.
- General low risk food preparation such as the making of jams, pickles, cake decorating and similar products.

Please note that a kitchen within a residential premises used for the above activities must comply with the Code in respect to Standards 3.2.2 Food Safety Practices and General and 3.2.3 Food Premises and Equipment. While these standards can require suitable high quality finishes and equipment fit-out in a commercial premises, a residential kitchen would not be expected to have the same level of fit-out. Further advice from an Environmental Health Officer is required depending on the food risk and activity involved.

Other considerations, such as Planning requirements for conducting a business from a residence should also be considered and you consult with the City's Planning Services on this matter.

15.0 CONTACT DETAILS

Health Services
City of Cockburn
9 Coleville Crescent, Spearwwod 6163
(PO Box 1215, Bibra Lake DC 6965)

Phone: (08) 9411 3589

Fax: (08) 9411 3333