

<b>POL</b>	<b>STREET LIGHTING</b>	<b>AEW3</b>
------------	------------------------	-------------

<b>POLICY CODE:</b>	AEW3
<b>DIRECTORATE:</b>	Engineering & Works
<b>BUSINESS UNIT:</b>	Engineering Department
<b>SERVICE UNIT:</b>	Road Services
<b>RESPONSIBLE OFFICER:</b>	Manager, Engineering
<b>FILE NO.:</b>	182/001
<b>DATE FIRST ADOPTED:</b>	17 June 1997
<b>DATE LAST REVIEWED:</b>	9 March 2017
<b>ATTACHMENTS:</b>	N/A
<b>DELEGATED AUTHORITY REF.:</b>	AEW3
<b>VERSION NO.</b>	4

<b>Dates of Amendments / Reviews:</b>	
DAPPS Meeting:	31 January 2013 27 August 2015 23 February 2017
OCM:	17 September 2002 14 February 2013 10 September 2015

**BACKGROUND:**

The provision of new street lighting on local roads within any District, not provided for in original subdivisions or developments, is the responsibility of local government.

**PURPOSE:**

To provide a consistent method of seeking additional street lighting within the City of Cockburn, according to need.

**POLICY:**

- (1) Street lighting will be provided in residential streets in accordance with Western Power's standards, Western Power Distribution Design catalogue and Australian Standards 1158.
- (2) Additional street lights will be provided on request and if subsequent inspection shows the minimum standard has not been achieved, or in circumstances where additional lights will assist with safety and/or security.
- (3) Upon request street lighting will be provided in industrial areas with overhead power lines to the same standard as residential areas.

POL	STREET LIGHTING	AEW3
-----	-----------------	------

- (4) Street lighting in rural and special rural areas with overhead power lines will be provided upon request and agreement by the majority of the residents in that street.
- (5) Up to \$65,000 be allocated on an annual basis to accommodate any capital works required to extend or improve the street lighting system.
- (6) A maximum of \$9,000 be used on any one project unless the capital works has been included in a separate item in the annual Budget.
- (7) Street lighting to be selected with the most sustainable products available considering City of Cockburn Sustainability Policy.
- (8) **No Mercury Vapor** lighting should be considered due to the high greenhouse emissions and the high level of mercury used.